# bottom/charm separation in semileptonic channel update

Sasha Lebedev, ISU

#### What's new:

- proper normalization for all  $P_{\tau}$  ranges
- use of signed DCA
- yield vs  $P_{\tau}$  for large DCA cuts
- plot different DCA on the same plot

### **Quick reminder**


- Single D and B mesons from PYTHIA, decaying to electrons.
- D<sup>0</sup>, D<sup>+</sup>, D<sup>--</sup>, and B<sup>0</sup>, B<sup>+</sup>, and B<sup>--</sup> only were used.
- Two data sets:
  - ckin(3)=0. (pythia default);
  - ckin(3)=10. For study of high  $P_{\tau}$  range
- I'm showing 3 different DCAs:
  - true DCA calculated from MC info using straight line projections.
  - DCA calculated from 2 inner pixel layers using cgl cluster association and straight line projections.
  - KalFit DCA (uses Central Arm info)
- Full simulation and reconstruction
- All plots are properly normalized and correspond to ~1.7B min. bias pp events (~1% of run5pp)


#### bottom/charm ratios vs DCA for SVX DCA


Blue: true DCA (from MC info)

Red: DCA from SVX pixel layers

These are tracks with large DCA, but reconstructed close to 0 due to wrong association by cgl










## bottom/charm ratios vs DCA for SVX DCA (high P<sub>+</sub>)

Different simulated data sample, but normalization is still correct.

All plots correspond to  $\sim 1.7B$  min. bias p+p events or  $\sim 1\%$  of run5 p+p data.










#### b/c ratios vs DCA for KalFit DCA

Blue: true DCA from MC info Green: KalFit DCA


KalFit only gives absolute value of DCA.
KalFit works worse at low P<sub>+</sub>









## b/c ratios vs DCA for KalFit DCA (high P<sub>+</sub>)










## Number of electrons vs P<sub>T</sub> for large DCA cuts

All plots correspond to ~1.7B min. bias pp events or ~1% of run5 p+p.







## Closer look at higher P<sub>T</sub> range

Different simulated data sample (ckin(3)=10GeV).

